


Raccordi a saldare e filettati gas Welding fittings and fittings threaded gas



- ■ La gamma di raccordi a saldare proposti dalla BIQUADRO è composta da tronchetti e manicotti filettati Gas, curve, raccordi a Tee e Y, portagomma in acciaio inox AISI 304/ AISI 316

 *The BIQUADRO welding fittings range is composed of threaded Gas strubs and sleeves, bends, T union and Y union fittings, rubber holders in stainless steel AISI 304/ AISI 316.*

■ Art. 401



Tronchetto Gas a saldare
Welding stubs

DN
1/4"
3/8"
1/2"
3/4"
1"
1" ¼
1" ½
2"
2" ½
3"
3" ½
4"

■ Art. 402



Manicotto Gas a saldare
Welding sleeves

DN
1/4"
3/8"
1/2"
3/4"
1"
1" ¼
1" ½
2"
2" ½
3"
3" ½
4"

■ Art. 403



Curva 90° a saldare
90° welding bend

DN

17.2x2.0	48.3x2.0
21.3x2.0	50.8x2.0
25.0x2.0	52.0x2.0
26.9x2.0	60.3x2.0
28.0x2.0	70.0x2.0
30.0x2.0	76.1x2.0
33.7x2.0	80.0x2.0
35.0x2.0	85.0x2.0
40.0x2.0	88.9x2.0
42.4x2.0	101.6x2.0
	114.3x2.0

■ Art. 404



Tee a saldare
Welding T union

DN

17.2x2.0	48.3x2.0
21.3x2.0	50.8x2.0
25.0x2.0	52.0x2.0
26.9x2.0	60.3x2.0
28.0x2.0	70.0x2.0
30.0x2.0	76.1x2.0
33.7x2.0	80.0x2.0
35.0x2.0	85.0x2.0
40.0x2.0	88.9x2.0
42.4x2.0	101.6x2.0
	114.3x2.0

Art. 405

Tre vie a saldare
Welding Y union



DN

33.7x2.0	70.0x3.0
40.0x2.0	76.1x3.0
42.4x2.0	80.0x3.0
48.3x2.0	88.9x3.0
50.0x2.0	101.6x3.0
60.3x2.0	114.3x3.0

Art. 406

Portagomma a saldare
Rubber holder welding



DN

17.2x2.0	48.3x3.0
21.3x2.0	50.8x3.0
25.0x2.0	52.0x2.0
26.9x2.0	60.3x3.0
28.0x2.0	70.0x3.0
30.0x2.0	76.1x3.0
33.7x2.0	80.0x3.0
35.0x2.0	85.0x2.0
40.0x3.0	88.9x3.0
42.4x3.0	101.6x3.0
48.3x3.0	114.3x3.0
	120.0x3.0

■ Art. 307

Nipplo semplice
Simple nipple



DN

1/4"
3/8"
1/2"
3/4"
1"
1" 1/4
1" 1/2
2"
2" 1/2
3"

■ Art. 308

Nipplo con esagono
Hexagon nipple



DN

1/4"
3/8"
1/2"
3/4"
1"
1" 1/4
1" 1/2
2"
2" 1/2
3"